


WILDFLOWERS of Pacifica



PAPER ONION
Allium amplectans
Use: edible



PUSSY TOES
Antennaria argentea
(summer, dry)



WESTERN
COLUMBINE
Aquilegia formosa
(summer, wet, part
shade)



BALSAM ROOT
Balsamorhiza deltoidea
Use: edible seeds when
ground



CAT'S EARS
Calochortus tolmeii



CAMAS (spring, wet)
Camassia quamash
Use: bulb ground for
flour



PAINT BRUSH
Castilleja applegateii



SOAP PLANT
Chlorogalum pomeridianum
(flowers in evening)
Uses: roots for brush,
bulb for soap



WINECUP
Clarkia purpurea



HOUND'S TONGUE
Cynoglossum grande



LARKSPUR (poisonous)
Delphinium nuttallianum



BLUE DICKS
Dichelostemma capitatum

WILDFLOWERS of Pacifica



SHOOTING STAR
Dodecatheon hendersonii
Use: flowers considered
good luck charm



SULFUR FLOWER
Eriogonum umbellatum



OREGON SUNSHINE
Eriophyllum lanatum



**HENDERSON'S FAWN
LILY**
Erythronium hendersonii



CHECKER LILY
Fritillaria affinis
(dry forest, early
summer)



RED BELLS
Fritillaria recurva
(dry, forest, early
summer)



YELLOW IRIS
Iris chrysophylla
Use: leaf fibers for rope



BISCUIT ROOT
Lomatium utriculatum
Use: all parts edible



SILVER LUPINE
Lupinus leucophyllus
(summer, dry)



**RED MONKEY
FLOWER**
Mimulus cardinalis
(summer, wet)



**YELLOW MONKEY
FLOWER**
Mimulus guttatus
(late spring, wet)



COYOTE MINT
Monardella odoratissima
(late summer, dry) Use:
tea, medicinal

WILDFLOWERS of Pacifica



INDIAN WARRIOR
Pedicularis densiflora
(early spring, dry forest)



SHOWY PHLOX
Phlox speciosa
(late spring, dry)



CHECKER-BLOOM
Sidalcea malvaeflora
(late spring, meadow)



INDIAN PINK
Silene hookeri
(late spring, dry forest)



GIANT WAKEROBIN
Trillium albidum
(late spring, wet, shady)



YELLOW BRODIAEA
Triteleia crocea
(early summer, dry
grassland)



MULE'S EARS
Wyethia glabra
(early summer, dry
grassland)



DEATH CAMAS
(poisonous)
Zigadenus venenosus